



GOESY EMB

Simple to use, the GOESY EMB 30W is ideal for recessed installations where it is necessary to mask the presence of the projector.

The body is made of aluminum alloy and the visible part is available in three colors, black, white or natural alloy.

It is recommended for applications involving the projection of slogans, logos, or advertisements.



GOESY EMB 30W

BODY

Material	Aluminium alloy
Protection Rating	IP20
Surface Finishing	Black Oxide

POWER SUPPLY

Power Mode	30W
	220V 50/60Hz

MAIN FEATURES

Light Source	CREE High Power LED
Rated Life	30.000 hr
Luminous Flux Source	2700 lm
Colour Temperature	9600°K
Optical Efficiency	23°
Gobo Size	ID 30 mm

WEIGHT


1,4 kg



PHOTOMETRIC DIAGRAMS

GOESY EMB 30W

Angle aperture 23° (I.D. ø30mm)



APPLICATIONS

Unlike traditional signage, which requires replacing signals as changes updates occur, the projected safety marking provides a quick and efficient update process. you can change and adjust projected movements in real time, adapting to new regulations, procedures or changes in the work environment. This approach saves time and resources by minimizing the interruption of work activities.



Control boxes allow you to integrate interactive elements such as light arrows or alerts that are activated to specific safety conditions to increase employee awareness and provide optimal response times.



CAUTION
WET FLOOR



ATTENZIONE
PAVIMENTO
BAGNATO